

Case Docket No. ACADIA.020A

Date: June 16, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)

Andersson et al.

Appl. No.

10/601,070

Filed

June 20, 2003

For

N-SUBSTITUTED PIPERIDINE

DERIVATIVES AS

SEROTONIN RECEPTOR

AGENTS

Examiner

Unassigned

Group Art Unit:

1615

I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on

June 16, 2004 (Date)

Sam K. Tahmassebi, Reg. No. 45,151

TRANSMITTAL LETTER


Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Enclosed for filing in the above-identified application are:

- (X) An Information Disclosure Statement.
- (X) A PTO Form 1449 with seventy two (72) references.
- (X) The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment, to Account No. 11-1410.
- (X) Return prepaid postcard.

Sam K. Tahmassebi Registration No. 45,151 Attorney of Record Customer No. 20,995 (619) 235-8550



INFORMATION DISCLOSURE STATEMENT

Applicant

Andersson, et al.

App. No.

: 10/601,070

Filed

June 20, 2003

For

N-SUBSTITUTED PIPERIDINE

DERIVATIVES AS SEROTONIN

RECEPTOR AGENTS

Examiner

Unassigned

Group Art Unit

1615

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Enclosed is form PTO-1449 listing 72 references that are also enclosed.

This Information Disclosure Statement is being filed before the receipt of a first Office Action on the merits, and presumably no fee is required in accordance with 37 C.F.R. § 1.97(b)(3). If a first Office Action on the merits was mailed before the mailing date of this Statement, the Commissioner is authorized to charge the fee set forth in 37 C.F.R. § 1.17(p) to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: Jul 16, 2004

By:

Sam K. Tahmassebi

Registration No. 45,151

Attorney of Record

Customer No. 20,995

(619) 235-8550

RTMENT OF COMMERCE AND TRADEMARK OFFICE
E STATEMENT T
NECESSARY)
T

ATTY, DOCKET NO. ACADIA.020A	APPLICATION NO. 10/601,070	
APPLICANT Andersson, et al.		
FILING DATE	GROUP 1615	

-	U.S. PATENT DOCUMENTS						
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
	1	4,853,394	08/01/89	King et al.			
	2	5,707,798	01/13/98	Brann			
energy .	3	6,358,698	03/19/02	Weiner et al.			

	FOREIGN PATENT DOCUMENTS								
EXAMINER	T	DOCUMENT NUMBER	DATE	COUNTRY	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
INITIAL								YES	NO
	4	EP 0 260 070	08/11/93	EPO					
		-	·						
•									

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)				
	5	Alvisi, Sulla formazione di derivati pirazolici dalle dicloridrine e dalla tribromidrina della glicerina ordinaria, Gazz. Chem. Ital. 22:59 (1892)			
	6 Antilla & Buchwald, Copper-catalyzed coupling of arylboronic acids and amines, Org. Lett. 3:2077-2079 (2001)				
	7 Antilla, et al., The copper-catalyzed N-arylation of indoles, J. Am. Chem. Soc. 124:11684-11688 (200				
		Artico, et al., Aromatic hydrazides as specific inhibitors of bovine serum amine oxidase, Europ. J. Med. Chem. Chim. Ther. 27:219-228 (1992)			
	9	Barchas, et al., Serotonin and Behavior (1973)			

EXAMINER	DATE CONSIDERED
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION I IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WIT	S IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT TH NEXT COMMUNICATION TO APPLICANT.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. ACADIA.020A

APPLICATION NO. 10/601,070

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT Andersson, et al.

FILING DATE June 20, 2003 GROUP 1615

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
	10	Barnes and Sharp, A review of central 5-HT receptors and their function, Neuropharmacology, 38:1083-1152 (1999)
	11	Barr, D.R., Manning, A.J., Agonist-independent activation of G _z by the 5-hydroxytryptamine _{1A} receptor co-expressed in <i>spodoptera frugiperda</i> cells, Biol. Chem. 272:32979-87 (1997)
	12	Biagi et al., Farmaco Ed. Sci. 43:597-612 (1988)
	13	Bond et al., Physiological effects of inverse agonists in trangenic mice with myocardial overexpression of the ₂ -adrenoceptor, Nature 374:272 (1995)
	14	Brown et al., Catalytic alkylation of aniline, J. Am. Chem. Soc., 46:1836-1838 (1924)
	15	Büchi and Wüest, Synthesis of (±)-nuciferal, J. Org. Chem. 34:1122-1123 (1969)
	16	Buu-Hoi et al., Further studies in the alkylation of phenols and thiophenols, J. Org. Chem. 16:988 (1951)
	17	Cacchi et al., Palladium-catalyzed reaction of aryl iodides with acetic anhydride. A carbon monoxide-free synthesis of acetophenones, Org. Lett. 5:289-293 (2003)
	18	Carman R.M. et al., A further synthesis of an analogue of the antifuncal/antiherbivore lipid from avocado, Aust. J. Chem. 51:955 (1998)
	19	Carroll et al., Synthesis and muscarinic receptor activity of ester derivatives of 2-substituted 2-azabicyclo[2.2.1]heptan-5-ol and -6-ol, J. Med. Chem. 35:2184-91 (1992)
	20	Catarzi et al., Synthesis, ionotropic glutamate receptor binding affinity, and structure-activity relationships of a new set of 4,5-dihydro-8-heteroaryl-4-oxo-1,2,4-triazolo[1,5-a]quinoxaline-2-carboxylates analogues of TQX-0173, J. Med Chem. 44:3157-3165 (2001)
	21	Cerione et al., The mammalian ₂ -adrenergic receptor: reconstitution of functional interactions between pure receptor and pure stimulatory nucleotide binding protein of the adenylate cyclase system, Biochemistry 23:4519-25 (1984)
•	22	Brann, Identification of ligands by selective amplification of cells transfected with receptors and marker enzymes, Chem. Abstr. 128:111548 (1998)
	23	Cherkasov et al., Organothiophsphorus reagents in organic synthesis, Tetrahedron 41:2567 (1985)
	24	Dunn et al., Analgetic and antiinflammatory 7-aroylbenzofuran-5-ylacetic acids and 7-aroylbenzothiophene-5-ylacetic acids, J. Med. Chem. 29:2326 (1986)
	25	Emerson, W.S. and Walters, P.J., The reductive alkylation of aniline, J. Am. Chem. Soc. 60:2023 (1938)
	26	Finar, I.L. and Godfrey, K.E., The preparation and properties of some derivatives of 1-phenylpyrazole, J. Chem. Soc. 2293 (1954)
	27	Glennon, Serotonin receptors: clinical implications, Neurosci. Biobehavioral Rev. 14:35 (1990)
	28	Gooßen, L.J. and Ghosh, K., Palladium-catalyzed synthesis of aryl ketones from boronic acids and carboxylic acids or anhydrides, Angew. Chem. Int. Ed. Engl. 40:3458-3460 (2001)
	29	Guthrie et al., The tetrahedral intermediate from the hydration of N-methylformanilide, Can. J. Chem. 71:2109-2122 (1993)

EXAMINER	DATE CONSIDERED
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WIT	·

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY, DOCKET NO. ACADIA.020A APPLICATION NO. 10/601,070

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT Andersson, et al.

FILING DATE June 20, 2003 GROUP 1615

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)					
	30	Hartwig, Transition metal catalyzed synthesis of arylamines and aryl ethers from aryl halides and triflates: scope and mechanism, Angew. Chem. Int. Ed. 37:2046-2067 (1998)					
	31	Hickinbottom, The preparation of secondary alkylaryl-amines and their purification, J. Chem. Soc. 992 (1930)					
	Hirst, H.R. and Cohen, J.B., A method for preparing the formyl derivatives of the aromatic amines, J. Chem. Sci 67:829 (1895)						
	33	Jaeger, et al., Two ketones of the stilboestrol group, J. Chem. Soc. 744-747 (1941)					
	34	Klapars, et al., A general and efficient copper catalyst for the amidation of aryl halides, J. Am. Chem. Soc. 124:7421-7428 (2002)					
1		Klapars, et al., A general and efficient copper catalyst for the amidation of aryl halides and the <i>N</i> -arylation of nitrogen heterocycles, J. Am. Chem. Soc. 123:7727-7729 (2001)					
	36	Kuehne et al., Enantioselective syntheses of vinblastine, leurosidine, vincovaline, and 20'-epi-vincovaline, J. Org. Chem. 56:513 (1991)					
		Kuehne et al., Total syntheses of <i>Yohimbe</i> alkaloids, with stereoselection for the normal, allo, and 3-epiallo series, based on annelations of 4-methoxy-1,2-dihydropyridones, J. Org. Chem. 56:2701 (1991)					
		Kwong et al., A general, efficient, and inexpensive catalyst system for the coupling of aryl iodides and thiols, Org. Lett. 4:3517-3520 (2002)					
		Kwong, et al., Copper-catalyzed coupling of alkylamines and aryl iodides: an efficient system even in an air atmosphere, Org. Lett. 4:581-584 (2002)					
		Kwong et al., Mild and efficient copper-catalyzed amination of aryl bromides and primary alkylamines, Org. Lett. 5:793-796 (2003)					
	41	Landini et al., A convenient synthesis of primary and secondary dialkyl and aryl alkyl sulfides in the presence of phase-transfer catalysts, Synthesis 565-566 (1974)					
	42	Li, Highly active, air-stable palladium catalysts for the c-c and c-s bond-forming reactions of vinyl and aryl cholrides: use of commercially available [(t-Bu) ₂ P(OH)] ₂ PdCl ₂ , [(t-Bu) ₂ P(OH) ₂ PdCl ₂] ₂ , and [[(t-Bu) ₂ POHOPdCl] ₂ as catalysts, J. Org. Chem. 67:3643-3650 (2002)					
	43	Lowe et al., Aza-tricyclic substance P antagonists, , J. Med. Chem. 37:2831-40 (1994)					
-	44	Meltzer, The role of serotonin in antipsychotic drug action, Neuropsychopharmacology, 21:106S-115S (1999)					
	45	Micovic et al., A simple method for preparation of secondary aromatic amines, Synthesis 11:1043-1045 (1991)					
		Moulignier, Recepteurs centraux de al serotonine principaux aspects fondamentaux et fonctionnels applications therapeutiques, Rev. Neurol. 150:3-15 (1994)					
	47	Moune et al., Total synthesis of dolatrienoic acid: a subunit of dolastatin 14, J. Org. Chem. 62:3332-3339 (1997)					
		Muri et al., Synthesis of new benzylic ethers of oximes derived from 1-phenyl-pyrazole compounds, Synth. Commun. 28:1299-1321 (1998)					
	49	Nigam et al., The conversion of fatty acids into aldehydes, J. Chem. Soc. 2000 (1957)					
	50	Olah et al., Notiz uber die n-formylierung von aminen mit formylfluorid, Chem. Ber. 89:2211 (1956)					

EXAMINER	DATE CONSIDERED

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY, DOCKET NO. ACADIA.020A	APPLICATION NO. 10/601,070	
=	DISCLOSURE STATEMENT Y APPLICANT	APPLICANT Andersson, et al.		
(USE SEVERA	L SHEETS IF NECESSARY)	FILING DATE June 20, 2003	GROUP 1615	

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)					
	51	Old, et al., Efficient palladium-catalyzed n-arylation of indoles, Org. Lett. 2:1403-1406 (2002)					
	52	Read, Researches on hydantoins. Synthesis of the soporific, 4,4-phenylethyl-hydantoin (nirvanol), J. Am. Chem. Soc. 44:1746-1755 (1922)					
	53	Ricci, Ed.; Wiley-VCH: Weinheim, Germany (2000)					
	54	Rice et al., Raney nickel catalyzed n-alkylation of aniline and benzidine with alcohols, J. Am. Chem. Soc. 77:4052 (1955)					
	55	Rubiralta et al., Piperidine - Structure, Preparation, Reactivity and Synthetic Applications of Piperidine and its Derivatives, Studies in Organic Chemistry 43, Elsevier (1991)					
	56	Saltzman et al., Cloning of the human serotonin 5-HT2 and 5-HT1C receptor sybtypes, Biochem. Biophys. Res. Comm. 181:1469 (1991)					
	57	Saxena, et al., Cardiovascular effects of serotonin agonists and antagonists, J. Cardiovascular Pharmacol. 15: Supp. 7 (1990)					
	58	Scheibye et al., Studies on organophosphorus compounds XXI. The dimer of p-methoxyphenylthionophosphine sulfide as thiation reagent. A new route to thiocarboxamides, Bull. Soc. Chim. Belg. 87:229 (1978)					
	59 Screttas et al., Hydrolithiation of -olefins by a regiospecific two-step process. Transformation of alkyl phenyl sulfides to alkyllithium reagents, J. Org. Chem. 43:1064-1071 (1978)						
	Stefancich et al., Agenti antiinfiammatori non-steroidei: Nota III – sintesi ed attivita analgesica-antiinfiammatorii de 4-(pirrol-1-il)-fenilacetamidi e di 4-(pirrol-1-il)fenetilamine, Farmaco Ed. Sci. 39:752-764 (1984)						
	Varma et al., Microwave-accelerated solvent-free synthesis of thioketones, thiolactones, thioamides, thionoesters and thioflavonoids, Org. Lett. 1: 697-700 (1999)						
	Vogel, Physical properties and chemical constitution. Part XIX. Five-membered and six-membered carbon rings, Chem. Soc. 1809 (1948)						
	63	Vogl et al., Palladium-catalyzed monoarylation of nitroalkanes, J. Org. Chem. 67:106-111 (2002)					
•		Weiner et al., 5-hydroxytryptamine _{2A} receptor inverse agonists as antipsychotics, J. Pharmacol. Exp. Ther. 299(1):268-276 (2001)					
•	65	Whitmore et al., Abnormal Grignard reactions. XII. Sterically hindered aliphatic carbonyl compounds. II. Ketones containing the dineopentylcarbinyl group, J. Am. Chem. Soc. 64:1247 (1942)					
	66 Whitmore et al., Higher hydrocarbons. IV. Six phenyleicosanes and six cyclohexyleicosanes, J. Am. Chem. Soc. 69:235-237 (1947)						
-	67	Wolf, Uber alkin-amine I. Aryl-propargyl-amine, Liebigs Ann. Chem. 576:35-45 (1952)					
		Wolfe et al., An improved catalyst system for aromatic carbon-nitrogen bond formation: the possible involvement of bis(phosphine) palladium complexes as key intermediates, J. Am. Chem. Soc., 1996, 118, 7215-7216					
	69	Yamada et al., Tetrahedron Lett. 39:7709-7712 (1998)					
	70	Yang et al., Palladium-catalyzed amination of aryl halides and sulfonates, J. Organometallic Chem. 576:125-146 (1999)					

EXAMINER	DATE CONSIDERED		
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.			

	FT		

FORM PTO-1449 U.S. DEPARTMENT O PATENT AND TRADE		APPLICATION NO. 10/601,070
INFORMATION DISCLOSURE STATEME BY APPLICANT	APPLICANT Andersson, et al.	
(USE SEVERAL SHEETS IF NECESSAR	FILING DATE June 20, 2003	GROUP 1615

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
	Yasuhara et al., An activated phosphate for an efficient amide and peptide coupling reagent, J. Chem. Soc. Perkin Trans. 1 17:2901-2902 (2000)	
	Yin et al., Pd-catalyzed intermolecular amidation of aryl halides: the discovery that xantphos can be trans-chelating in a palladium complex, J. Am. Chem. Soc. 124:6043-6048 (2002)	

S:\DOCS\SKT\SKT-3946.DOC 070203